

**Section 1 - Identification**

Product Name: **H.T. Concrete Sealer** A polymer floor sealer. Revised: 4/28/15

<b>Damon Industries, Inc.</b> <b>12435 Rockhill NE</b> <b>Alliance, Ohio 44601</b> <b>U.S.A.</b>	<b>1-800-362-9850</b> <b>1-330-821-5310</b> <b>1-330-821-6355 Fax</b> <b>info@DamonQ.com</b>	<b>24 HOUR EMERGENCY RESPONSE</b>  <b>1-800-535-5053 (U.S. &amp; Canada)</b> <b>001-352-323-3500 (International)</b>
---	---	---

**Section 2 - Hazards Identification**

Hazard categories: Skin Corrosion/Irritation 3; Eye Corrosion/Irritation 2B

Hazard statements: Causes mild skin irritation.  
Causes eye irritation.

Signal word: Warning

Pictogram: None

Precautionary statements

Prevention

Wash hands thoroughly after handling.

Response

**IF ON SKIN:** If skin irritation occurs: Get medical attention.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage: None. Disposal: None.

**Section 3 - Composition / Information on Ingredients**

Ingredient	C.A.S. No.	Concentration
Acrylic polymers	Trade secret*	52%
Water	7732-18-5	27%
Diethylene glycol monobutyl ether	112-34-5	17%
Ethylene Glycol	107-21-1	2%
Isodecyl benzoate	131298-44-7	2%

\* This is not a trade secret of Damon Industries, it is a trade secret of the manufacturer of the ingredient. The remaining ingredients are not reportable as described in Appendix D to Sec. 1910.1200 Table D.1.

**Section 4 - First Aid Measures**

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, lifting upper and lower eyelids occasionally. If eye irritation persists: Get medical attention.

**Skin Contact:** Wash exposed area with soap and water. If irritation develops and persists, get medical attention.

**Ingestion:** If the product is swallowed, do NOT induce vomiting. If affected person is conscious, give a glass of water or milk to drink. Get medical attention.

**Inhalation:** Move the exposed person to fresh air. If irritation persists, get medical attention.

**Section 5 - Fire-Fighting Measures**

**Extinguishing Media:** Any

**Special Fire Fighting Procedures:** None.

**Unusual Fire And Explosion Hazards:** None.

**Section 6 - Accidental Release Measures**

**Steps To Be Taken If Material Is Released Or Spilled:** Wipe or mop up small small spills. Larger spills should be diked to prevent entry into sewers and collected into clean pails or drums for proper disposal.

**Section 7 - Handling and Storage**

Store at temperatures between 40° and 100° F. Empty containers retain product residue and may be hazardous. Observe all precautions given in this data sheet.

**Section 8 - Exposure Controls / Personal Protection**

Ingredient	C.A.S. No.	Concentration	TWA(source)	STEL	Ceiling
Ethylene Glycol	107-21-1	2%	-	-	50 ppm(2,4)

(1)=OSHA (2)=NIOSH (3)=ACGIH (4)=CANADA TWA=8 hour Time Weighted Average STEL=15 minute TWA Ceiling=Instantaneous  
Ingredients not shown either have no known limits or are below reportable levels in section 3 above.

**Ventilation:** Normal room ventilation.

**Respiratory Protection:** None when used as directed.

**Gloves:** Persons with sensitive skin may wish to use rubber or latex gloves when skin contact is possible.

**Eye Protection:** If eye contact is possible, wearing safety glasses with side shields, especially for contact lens wearers, is a good idea.

**Other Protective Equipment:** None.

### Section 9 - Physical and Chemical Properties

<b>Appearance and Odor:</b> A white liquid with acrylic odor.	
<b>Odor Threshold:</b> Not Available	<b>Vapor Pressure:</b> Not Available
<b>pH:</b> concentrate 8.5 ± 0.5	<b>Vapor Density:</b> Not Available
<b>Melting Point:</b> Not Available	<b>Relative Density (Specific Gravity):</b> 1.0
<b>Freezing Point:</b> Not Available	<b>Solubility(ies): Water:</b> 100%
<b>Boiling Point, Initial:</b> 212° F.	<b>Partition coefficient:</b> Not Available
<b>Boiling Range:</b> Not Available	<b>Auto-ignition Temperature:</b> Not Available
<b>Flash Point:</b> None. (ASTM D-56 closed cup)	<b>Decomposition Temperature:</b> Not Available
<b>Evaporation Rate:</b> ~1 (Water = 1)	<b>Viscosity:</b> Same as water.-
<b>Flammability: (solid, gas):</b> Not Applicable	<b>Volatiles Percent:</b> 80%
<b>Upper Explosive Limit:</b> None	<b>V.O.C.:</b> 0% - 0 grams/liter
<b>Lower Explosive Limit:</b> None	

### Section 10 - Stability and Reactivity

**Incompatibility:** None

**Hazardous Decomposition Products:** None

### Section 11 - Toxicological Information

**Primary Routes of Entry:**  Skin contact;  Skin absorption;  Inhalation;  Ingestion

**Potential Health Effects:**

**Eyes** - may cause irritation, redness, tearing.

**Skin** - may cause irritation.

**Swallowing** - may cause irritation to the mouth and throat.

**Breathing** – Possibly irritating if over exposed.

### Section 12 - Ecological Information

Do not dispose of in the environment.

### Section 13 - Disposal Considerations

**Waste Disposal Method:** Small amounts that can be absorbed on paper towels or other absorbent can be disposed of in the trash. Larger amounts should be disposed of in accordance with federal, state and local regulations.

### Section 14 - Transport Information

**D.O.T. Hazard Class:** Not considered hazardous by D.O.T., I.M.C.O., I.A.T.A. or U.N.

### Section 15 - Regulatory Information

The components of this product are on the TSCA inventory of chemical substances.

**Section 313 Supplier Notification:** This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and CFR 372.

<u>Chemical Name</u>	<u>C.A.S. No.</u>	<u>% By Weight</u>	<u>Lbs./Gallon</u>
2-(2-Butoxyethoxy)ethanol	112-34-5	2.6	0.23
2-(2-Methoxyethoxy)-ethanol	111-77-3	2.3	0.20

### Section 16 - Other Information

**NFPA:** H:0 F:0 I:0 **HMIS® III:** H:0 F:0 P:0 These ratings estimates are to be used only with a fully implemented training program in the workplace. NFPA® is a mark registered by the NFPA. HMIS® is a mark registered by the NPCA.

Replaces sheet dated 7/20/06. GHS conversion.

The information accumulated herein is believed to be accurate but is not warranted to be. Recipients are advised to confirm in advance that the information is current, applicable, and suitable to their circumstances.